

SAFETY JOGGER

PROFESSIONAL



MOVE

ANAIS OB

Sandal in stretchable lycra



LBL



LGN



WHT



FUX

Upper	Synthetic Leather, Textile
Outsole	EVA/Rubber
Toecap	
Midsole	
Lining	Coolmax Mesh
Footbed	SJ Hybrid 5MM
Safety category	EN ISO 20347 - OB / ESD, A, SRC, E
Sample weight	0.205 gr.
Size range	EU 35-42 / UK 3.0-8.0 / US 5.5-10.5 / CM 23.0-27.0



LIC




BLK



STRETCHABLE UPPER

Super elastic and stretchable textile for improved comfort and fit.



ELECTROSTATIC DISCHARGE (ESD)

ESD provides the controlled discharge of electrostatic energy that can damage electronic components and avoids risks of ignition resulting from electrostatic charges. Volume resistance between 100 KiloOhm and 35 MegaOhm.



COOLMAX® LINING

Coolmax® technology was originally developed for athletes. The material transports moisture and sweat, so that the body stays dry. We found it extremely suitable for people who work hard for hours every day too.



REMOVABLE INSOLE

Renew your insole at a regular base or use your own orthopedic insoles for a higher comfort.

SAFETY JOGGER

PROFESSIONAL



MOVE

ANAIS OB

Industries:

Catering, Cleaning, Food & beverages, Medical

Environments:

Dry environment, Extreme slippery surfaces

Maintenance instructions:

To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.

	Description	Measure unit	Result	EN ISO 20347
Upper	Synthetic Leather, Textile			
	Upper: permeability to water vapor		23.3	
	Upper: water vapor coefficient		186.9	
Lining	Coolmax Mesh			
	Lining: permeability to water vapor		28.9	
	Lining: water vapor coefficient		231.3	
Footbed	SJ Hybrid 5MM			
	Footbed: abrasion resistance		400	
Outsole	EVA/Rubber			
	Outsole abrasion resistance (volume loss)		103	
	Outsole slip resistance SRA: heel		0.43	
	Outsole slip resistance SRA: flat		0.53	
	Outsole slip resistance SRB: heel		0.13	
	Outsole slip resistance SRB: flat		0.26	
	Antistatic value		NA	
	ESD value		9.1	
	Heel energy absorption		31	
Toecap	Impact resistance toecap (clearance after impact 100J)		NA	
	Compression resistance toecap (clearance after compression 10kN)		NA	
	Impact resistance toecap (clearance after impact 200J)		NA	
	Compression resistance toecap (clearance after compression 15kN)		NA	

Our shoes are constantly evolving, the technical data above may change. All product names and brand Safety Jogger, are registered and may not be used or reproduced in any format, without written consent from us.

Sample size:
38